

OLD DOMINION FREIGHT LINE, INC.

RATING API DEVELOPMENT GUIDE



© 2021 Old Dominion Freight Line, Inc.
500 Old Dominion Way, Thomasville, NC 27360, All Rights Reserved.
This document contains proprietary information that is the exclusive
property of Old Dominion Freight Line, Inc. All rights are reserved.
No part of this document may be reproduced in any manner without
the express written permission of Old Dominion Freight Line, Inc.

Helping The World
Keep Promises®



- Getting Started..... 4**
 - Overview..... 4
 - Testing..... 4

- Authentication 5**
 - Response..... 5

- Request 6**
 - Authorization 6
 - Base Path 6
 - Fields 6
 - accessorials..... 6
 - destinationCountry..... 8
 - destinationPostalCode..... 9
 - destinationCity..... 9
 - destinationState..... 9
 - freightItems.dimensionUnits 9
 - freightItems.height 10
 - freightItems.length 10
 - freightItems.width 10
 - freightItems.numberOfUnits 11
 - freightItems.ratedClass..... 11
 - freightItems.weight 12
 - freightItems.nmfc..... 12
 - freightItems.nmfcSub..... 12
 - linearFeet 13
 - contactPhoneNumber 13
 - cubicUnits..... 13
 - currencyFormat 13
 - deliveryDateTime 14
 - discount..... 14
 - dropDateTime..... 14
 - firstName..... 14
 - lastName 15
 - insuranceAmount 15
 - loosePieces..... 15

mexicoServiceCenter	15
movement	16
numberPallets	16
numberStackablePallets	16
odfl4MePassword	17
odfl4MeUser	17
odflCustomerAccount	17
originCountry	17
originPostalCode	18
originCity	18
originState	18
pickupDateTime	18
requestMilesFromServiceCenter	19
requestReferenceNumber	19
sendEmailOffers	19
shipType	19
tariff	20
totalCubicVolume	20
weightUnits	20
Sample	21
Response	24
Fields	24
Response Codes	27
Sample	29

Getting Started

Overview

The Rate Estimate API is a SOAP service which provides an estimate and breakdown of applicable rates for a shipment and can be used to integrate pricing data into your systems.

Information on all the services we provide is on our [Shipping API Integrations](#) page at ODFL.com.

Testing

When you're ready to begin, visit [Shipping API Integrations](#) and click [Email an Expert](#) for assistance.

Authentication

Using this service requires an ODFL.com account with a username and password, which grants access to API data for your specific account(s). Visit our website at [ODFL.com](https://odfl.com) and click [Sign Up](#) to register.

Have questions about your OD account? We're here to help, Monday-Friday, 7 a.m. – 8 p.m. ET.:

- Telephone 1-800-235-5569
- Email: Internet.CustomerService@odfl.com

Response

Code	Message	Notes
200	Username or Password is not valid	Verify your Username and Password and try again. Passwords are case sensitive. If the problem continues, contact Customer Service.
200	Invalid Customer Account - Username must have access to run rates for the account and account must be valid.	Verify you provided the correct BillTo account. If the problem persists, contact Internet.CustomerService@odfl.com for assistance.

Request

Authorization

Provide the Username and Password in the Request body. Passwords are case sensitive :

```
<odfl4MeUser>MyUsername</odfl4MeUser>
```

```
<odfl4MePassword>MyPassword</odfl4MePassword>
```

Base Path

Environment	URL
Production	https://www.odfl.com/wsRate_v6/RateService

Fields

accessorials

Accessorials are special services requested for the shipment. Additional charges may apply.

No more than 30 accessorials may be included in a single rate request.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Array(String)	2	3	No	Empty array

Value	Definition
AID	Airport Delivery
AIP	Airport Pickup

Value	Definition
ARN	Notification Prior To Delivery
CA	Scheduled Appointment Delivery
CDC	School, College, Church Delivery
CPC	School, College, Church Pickup
CSD	Construction Site Delivery
CSP	Construction Site Pickup
DSM	Mine, Oil Field, Quarry Delivery
DSW	Solar, Wind Farm Delivery
EXD	Trade Show Delivery
EXO	Trade Show Pickup
GTD	Guaranteed
HAZ	Hazardous Materials
HDP	Household Services Same Day Delivery & Pickup at Destination
HGO	Household Services GTD 2hr Spot Window-Origin
HHL	Household Services Live Load Requested
HHT	Household Services Hand Truck
HHU	Household Services Live Unload Requested
HH5	Household Services 5 Straps Requested
HSO	Household Services Scale-Origin
HSP	Household Services Same Day Spot & Pickup at Origin
HYD	Liftgate Service Delivery
HYO	Liftgate Service Pickup
H10	Household Services 10 Straps Requested
H15	Household Services 15 Straps Requested
H20	Household Services 20 Straps Requested
H25	Household Services 25 Straps Requested

Value	Definition
IDC	Inside Delivery
IND	Additional Cargo Liability. Must be accompanied by a value in insuranceAmount.
IPC	Inside Pickup
LDC	Secured/Limited Access Delivery
LPC	Secured/Limited Access Pickup
LUD	Lumper Fees - Destination
LUO	Lumper Fees - Origin
OVL	Overlength Article.
PFF	Protect From Freezing
PSM	Mine, Oil Field, Quarry Pickup
PSW	Solar, Wind Farm Pick Up
RDC	Residential/Non-Commercial Delivery
RPC	Residential/Non-Commercial Pickup
SCR	Single Shipment Charge
SDS	Security Divider Service
SSC	Sorting Or Segregating
STR	Storage
SWD	Self-Storage Delivery

destinationCountry

The Country Code for the shipment destination.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	3	3	No	USA

Value	Definition
CAN	Canada
MEX	Mexico
USA	United States of America

destinationPostalCode

The Postal Code for the shipment destination. Letters provided within Postal Codes must be **UPPERCASE**.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	5	6	Yes	

destinationCity

The City Name for the shipment destination.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String		33	No	

destinationState

The State Code for the shipment destination.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String		2	No	

freightItems.dimensionUnits

The Unit of Measure for the Height, Length and Width of the shipment item. The value provided must be in **UPPERCASE**.

If the request includes dimensionUnits, then length, width, height and numberOfUnits must also be provided.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			No	IN

Value	Definition
CM	Centimeters
FT	Feet
IN	Inches

freightItems.height

The height of the shipment item in the Unit of Measure provided in dimensionUnits.

If the request includes height, then dimensionUnits, length, width, and numberOfUnits must also be provided.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

freightItems.length

The length of the shipment item in the Unit of Measure provided in dimensionUnits.

If the request includes length, then dimensionUnits, height, width, and numberOfUnits must also be provided.

Overlength charges will automatically be applied based on the length or width provided in the request.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

freightItems.width

The width of the shipment item in the Unit of Measure provided in dimensionUnits.

If the request includes width, then dimensionUnits, height, length, and numberOfUnits must also be provided.

Overlength charges will automatically be applied based on the length or width provided in the request.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

freightItems.numberOfUnits

The number of units of the shipment item.

If the request includes numberOfUnits then dimensionUnits, height, width, and length must also be provided.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

freightItems.ratedClass

The class used to rate the shipment item. Requests must include either ratedClass or both nmfc and nmfcSub.

If both ratedClass and nmfc are provided, nmfc is used.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			Yes	0

Value
50
55
60
65
70
77
85
92
100
110
125
150
175

Value
200
250
300
400
500

freightItems.weight

The weight of the shipment item in the Unit of Measure provided in weightUnits.

Weight cannot exceed 50,000 pounds.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			Yes	

freightItems.nmfc

The National Motor Freight Classification (NMFC class) of the shipment item.

Requests must include either ratedClass or both nmfc and nmfcSub. If both nmfc and ratedClass are provided, nmfc is used.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	4	6	No	

freightItems.nmfcSub

The National Motor Freight Classification sub of the shipment item.

Requests must include either ratedClass or both nmfc and nmfcSub.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	1	2	No	

linearFeet

The linear feet of the shipment.

Must be provided for shipments rated as Security Divider (698) or Spot/Volume (699).

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

contactPhoneNumber

The numerical representation of the telephone number for the contact for the shipment (5555551212)

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Decimal			No	

cubicUnits

The cubic units of the shipment.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String		3	No	CF

Value	Definition
CBM	Cubic Meters
CF	Cubic Feet

currencyFormat

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String		3	No	USD

Value	Definition
CAD	Canadian Dollars
USD	US Dollars

deliveryDateTime

The date and time by which delivery must occur (YYYY-MM-DD).

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Date			No	

discount

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Decimal			No	0

dropDateTime

The requested Drop Date (YYYY-MM-DD).

Data Type	Minimum Length	Maximum Length	Required?	Default Value
ISO-8601			No	

firstName

The first name of the contact for the shipment.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			No	

lastName

The last name of the contact for the shipment.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			No	

insuranceAmount

The dollar value of cargo liability insurance required for the shipment. Must be accompanied by the IND accessorial.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

loosePieces

The number of loose pieces in the shipment.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

mexicoServiceCenter

For freight bound for Mexico, a value must be provided.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			No	

Value	Definition
LRD	Laredo
TUS	Tulsa

movement

The direction of freight movement.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	1	1	No	O

Value	Definition
I	The shipment is Inbound to your location. If the value for movement provided in your request is “I”, the destinationPostalCode must match any one of your OD Account zip codes.
O	The shipment is Outbound from your location. If the value for movement provided in your request is “O”, the originPostalCode zip must match any one of your OD Account zip codes.
T	The shipment is moving between Third Parties.

numberPallets

The number of pallets in your shipment. numberPallets is required for tariff 4848 shipments.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

numberStackablePallets

The number of stackable pallets in your shipment.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

odfl4MePassword

Your OD account Password. Passwords are case sensitive.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			Yes	

odfl4MeUser

Your OD account username.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			Yes	

odflCustomerAccount

Your OD **Bill-To** account number. Used in combination with movement to calculate pricing based on your negotiated rates.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Long			Yes	

originCountry

The Shipper's Country Code..

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	3	3	No	USA

Value	Definition
CAN	Canada
MEX	Mexico

Value	Definition
USA	United States of America

originPostalCode

The Shipper's Postal Code. Letters provided within Postal Codes must be **UPPERCASE**.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	5	6	Yes	

originCity

The Shipper's City Name.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String		33	No	

originState

The Shipper's State Code.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	2	2	No	

pickupDateTime

The requested date and time of Pickup (YYYY-MM-DD).

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Date			No	

requestMilesFromServiceCenter

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Boolean		1	No	false

requestReferenceNumber

Indicates whether a reference number for the rate provided will be included in the response.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Boolean		1	No	false

sendEmailOffers

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Boolean		1	No	false

shipType

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String			No	LTL

Value	Definition
LTL	Less than Load.
GTD	Guaranteed Speed Service. For more details see : ODFL 660 Speed Service - Guaranteed
GTE	Guaranteed by noon. For more details see : Guaranteed Delivery Service by Noon
GTO	Guaranteed On Demand (Requires values in pickupDateTime and deliveryDateTime). For more details see : On Demand Appointment & Emergency Shipping

tariff

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	559

Value	Definition
559	Standard LTL
4848	Pallet Rates
698	Security Divider
670	Cubic Meter Rates
699	Spot/Volume

totalCubicVolume

The cubic volume of the shipment in the Unit of Measure provided in cubicUnits.

Data Type	Minimum Length	Maximum Length	Required?	Default Value
Integer			No	0

weightUnits

The unit of measure for the weight of the shipment

Data Type	Minimum Length	Maximum Length	Required?	Default Value
String	3	3	No	LBS

Value	Definition
KG	Kilograms

LBS	Pounds
-----	--------

Sample

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:myr="http://myRate.ws.odfl.com/">
<soapenv:Header/>
<soapenv:Body>
<myr:getLTLRateEstimate>
<arg0>
<accessorials>OVL</accessorials>
<accessorials>AG</accessorials>
<destinationCountry>USA</destinationCountry>
<destinationPostalCode>22408</destinationPostalCode><!--Required-->
<destinationCity>Fredericksburg</destinationCity>
<destinationState>VA</destinationState>
<freightItems>
<dimensionUnits>in</dimensionUnits>
<height>48</height>
<length>143</length>
<width>48</width>
<numberOfUnits>1</numberOfUnits>
<ratedClass>50</ratedClass><!--Required-->
<weight>999</weight><!--Required-->
<!--nmfc></nmfc>-->
<!--nmfcSub></nmfcSub>-->
</freightItems>
<linearFeet>2</linearFeet>
<numberPallets>1</numberPallets>
<contactPhoneNumber>5555551212</contactPhoneNumber>
<cubicUnits>CF</cubicUnits>
<currencyFormat>USD</currencyFormat>
<deliveryDateTime>2021-01-01</deliveryDateTime>
<dropDateTime>2021-01-01</dropDateTime>
<discount>5</discount>
<email>abc@mail.com</email>
<firstName>FirstName</firstName>
<lastName>LastName</lastName>
<insuranceAmount>12</insuranceAmount>
<loosePieces>12</loosePieces>
<mexicoServiceCenter>TUS</mexicoServiceCenter>
<movement>O</movement>

```

```
<numberPallets>0</numberPallets>
<numberStackablePallets>0</numberStackablePallets>
<odfl4MePassword>MyPassword</odfl4MePassword><!--Required-->
<odfl4MeUser>MyUsername</odfl4MeUser><!--Required-->
<odflCustomerAccount>999999999</odflCustomerAccount><!--Required-->
<originCountry>USA</originCountry>
<originPostalCode>85043</originPostalCode><!--Required-->
<originCity>Nampa</originCity>
<originState>UT</originState>
<pickupDateTime>2021-01-01</pickupDateTime>
<requestMilesFromServiceCenter>>true</requestMilesFromServiceCenter>
<requestReferenceNumber>1</requestReferenceNumber><!--Required-->
<sendEmailOffers>>false</sendEmailOffers>
<shipType>LTL</shipType>
<tariff>559</tariff>
<totalCubicVolume>0</totalCubicVolume>
<weightUnits>LBS</weightUnits>
</arg0>
</myr:getLTLRateEstimate>
</soapenv:Body>
</soapenv:Envelope>
```

Freight of multiple classes in a single rate request:

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope
xmlns:myr="http://myRate.ws.odfl.com/" xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Header></soapenv:Header>
  <soapenv:Body>
    <myr:getLTLRateEstimate>
      <arg0>
        <accessorials>IDC</accessorials>
        <accessorials>HYD</accessorials>
        <destinationCountry>USA</destinationCountry>
        <destinationPostalCode>18042</destinationPostalCode>
        <freightItems>
          <ratedClass>50</ratedClass>
          <weight>150</weight>
        </freightItems>
        <freightItems>
          <ratedClass>125</ratedClass>
          <weight>250</weight>
        </freightItems>
        <odfl4MePassword>MyPassword</odfl4MePassword>
        <odfl4MeUser>MyUsername</odfl4MeUser>
        <odflCustomerAccount>999999999</odflCustomerAccount>
        <originCountry>USA</originCountry>
        <originPostalCode>17748</originPostalCode>
        <requestReferenceNumber>>false</requestReferenceNumber>
      </arg0>
    </myr:getLTLRateEstimate>
  </soapenv:Body>
</soapenv:Envelope>
```

Response

Fields

Field	Definition	Data Type
destinationCities.name	The name of the destination city.	String
destinationCities.serviceDays	The number of days between shipment and delivery based on the originPostalCode and destinationPostalCode provided in the request.	Integer
destinationInterlineCarrierName		String
destinationInterlineScac		String
destinationServiceCenter.address	The street address of the ODFL destination service center.	String
destinationServiceCenter.alphaCode	The three-character alpha code of the ODFL destination service center.	String
destinationServiceCenter.cityStateZip	The city, state, and postal code of the ODFL destination service center.	String
destinationServiceCenter.country	The country code of the ODFL destination service center.	String
destinationServiceCenter.emailAddress	The email address of the ODFL destination service center.	String
destinationServiceCenter.fax	The fax number of the ODFL destination service center.	String

Field	Definition	Data Type
destinationServiceCenter.manager	The first and last name of the manager of the ODFL destination service center.	String
destinationServiceCenter.name	The name of the ODFL destination service center.	String
destinationServiceCenter.phone	The telephone number of the ODFL destination service center.	String
errorMessages	See Response Codes below for examples.	String
originatingInterlineCarrierName		String
originatingInterlineScac		String
originatingServiceCenter.address	The street address of the ODFL origin service center.	String
originatingServiceCenter.alphaCode	The three-character alpha code of the ODFL origin service center.	String
originatingServiceCenter.cityStateZip	The city, state, and postal code of the ODFL origin service center.	String
originatingServiceCenter.country	The country code of the ODFL origin service center.	String
originatingServiceCenter.emailAddress	The email address of the ODFL origin service center.	String
originatingServiceCenter.fax	The fax number of the ODFL origin service center.	String
originatingServiceCenter.manager	The first and last name of the manager of the ODFL origin service center.	String

Field	Definition	Data Type
originatingServiceCenter.name	The name of the ODFL origin service center.	String
originatingServiceCenter.phone	The telephone number of the ODFL origin service center.	String
referenceNumber	The reference number for the rate provided by the request.	String
success	An indicator of whether the request for rates was successful.	Boolean
rateEstimate.accessorialCharges.amount	The monetary value of the accessorial included in the rate request.	Decimal
rateEstimate.accessorialCharges.description	The description of the accessorial included in the rate request	String
rateEstimate.discountAmount	The monetary value of the freight charge discount based on the value provided in discount in the rate request.	Decimal
rateEstimate.discountPercentage	The discount percentage provided in the rate request.	Decimal
rateEstimate.discountedFreightCharge	The monetary value of freight charges including discounts.	Decimal
rateEstimate.fuelSurcharge	The monetary value of fuel surcharges.	Decimal
rateEstimate.grossFreightCharge	The monetary value of the gross freight charge.	Decimal
rateEstimate.guaranteedServiceOption	The monetary value of the Guaranteed Service (if applicable).	Decimal

Field	Definition	Data Type
rateEstimate.internationalCharge	The monetary value of international charges (if applicable).	Decimal
rateEstimate.netFreightCharge	The monetary value of net freight charges.	Decimal
rateEstimate.totalAccessororialCharge	The total monetary value of all accessorials included in the rate request.	Decimal
rateEstimate.variableAccessororialRate	An indicator of whether any of the services provided in the request included variable costs...	Decimal

Response Codes

Message	Details
Unexpected error running rate request, please try again later	Please resubmit your rate request. If the problem persists, please notify us at: internet.customerservice@odfl.com .
Destination Terminal not found	Verify the values provided in <code>originPostalCode</code> and <code>destinationPostalCode</code> are accurate.
Destination Postal Code exceeds maximum length of 6	Postal codes must be 6 or fewer characters.
Destination country code US is not valid	Please provide a valid country code.
Security not setup. Please email APIVLT@odfl.com to request access.	The rate you have requested requires special permission. Please send an email to APIVLT@odfl.com to request access.

Message	Details
Rated Class Freight index 1 must be of format 99	Please provide a valid ratedClass.
Class 99 is not valid	Please provide a valid ratedClass.
RXL: 6 :Class Not Found	Please provide a valid ratedClass.
At least one class required	Please provide a valid ratedClass, Decimals in ratedClass are not permitted.
Weight Freight index 1 must be of format 9999999	The sum of the values provided in freightItems.weight cannot exceed 50,000 pounds.
Error on FCE conversion	Please provide a valid currencyFormat.
At least one class required	Please provide ratedClass or both nmfc and nmfcSub.
Cubic Units exceeds maximum length of 3	Please provide a valid cubicUnits.
Origin country code ABC is not valid	Please provide a valid originCountry.
Destination country code ABC is not valid	Please provide a valid destinationCountry.
Weight UOM of LB is not valid	Please provide a valid weightUnits.
PKU/DEL dates required if GTO shipment requested	When GTO is included, please provide values in both pickupDateTime and deliveryDateTime.
Please Call Expedited 866-637-7333	
For Weekend or Holiday Service, Please Call Expedited 866-637-7333	

Sample

```
<soapenv:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Header>
    <work:WorkContext xmlns:work="http://oracle.com/weblogic/soap/workarea"/>
  </soapenv:Header>
  <soapenv:Body>
    <ns2:getLTLRateEstimateResponse xmlns:ns2="http://myRate.ws.odfl.com/">
      <return>
        <destinationCities>
          <name>CLINE</name>
          <serviceDays>3</serviceDays>
        </destinationCities>
        <destinationCities>
          <name>MONTELL</name>
          <serviceDays>3</serviceDays>
        </destinationCities>
        <destinationCities>
          <name>PANDALE</name>
          <serviceDays>3</serviceDays>
        </destinationCities>
        <destinationCities>
          <name>PUMPVILLE</name>
          <serviceDays>3</serviceDays>
        </destinationCities>
        <destinationCities>
          <name>UVALDE</name>
          <serviceDays>2</serviceDays>
        </destinationCities>
        <destinationInterlineCarrierName/>
        <destinationInterlineScac/>
        <destinationServiceCenter>
          <address>6802 Ne Loop 410</address>
          <alphaCode>SNA</alphaCode>
          <cityStateZip>San Antonio, TX 78219</cityStateZip>
          <country>USA</country>
          <emailAddress> abc@mail.com </emailAddress>
          <fax>Fax: (800) 555-1212</fax>
          <manager>Manager: Joe Smith</manager>
          <name>SAN ANTONIO, TX - SNA</name>
          <phone>Phone: (800) 555-1212</phone>
        </destinationServiceCenter>
        <originatingInterlineCarrierName/>
      </return>
    </ns2:getLTLRateEstimateResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```

<originatingInterlineScac/>
<originatingServiceCenter>
  <address>135 South 79th Ave</address>
  <alphaCode>PHX</alphaCode>
  <cityStateZip>Tolleson, AZ 85353</cityStateZip>
  <country>USA</country>
  <emailAddress> abc@mail.com </emailAddress>
  <fax>Fax: (800) 555-1212</fax>
  <manager>Manager: George Smith</manager>
  <name>PHOENIX, AZ - PHX</name>
  <phone>Phone: (800) 555-1212</phone>
</originatingServiceCenter>
<referenceNumber>0</referenceNumber>
<success>>true</success>
<rateEstimate>
  <accessorialCharges>
    <amount>1000.00</amount>
    <description>Overlength Article</description>
  </accessorialCharges>
  <accessorialCharges>
    <amount>92.50</amount>
    <description>Airport Delivery </description>
  </accessorialCharges>
  <discountAmount>0.00</discountAmount>
  <discountPercentage>0.00</discountPercentage>
  <discountedFreightCharge>0.00</discountedFreightCharge>
  <fuelSurcharge>58.10</fuelSurcharge>
  <grossFreightCharge>140.00</grossFreightCharge>
  <guaranteedServiceOption>0.00</guaranteedServiceOption>
  <guaranteedByNoonServiceOption>0.00</guaranteedByNoonServiceOption>
  <internationalCharge>0.00</internationalCharge>
  <netFreightCharge>1290.60</netFreightCharge>
  <totalAccessorialCharge>1092.50</totalAccessorialCharge>
  <variableAccessorialRate>>false</variableAccessorialRate>
</rateEstimate>
</return>
</ns2:getLTLRateEstimateResponse>
</soapenv:Body>
</soapenv:Envelope>

```